



POTAIN[®]
by **Mantowoc**

Hup 40-30

**ULTIMATE VERSATILITY.
MAX PROFITS.**



**ULTIMATE VERSATILITY.
MAX PROFITS.**



Class leading versatility and performance from a self-erecting crane with 40 m (131 ft) jib.

Why own more cranes than you need? With its revolutionary design and 40 m (131 ft) jib, the new Potain Hup 40-30 self-erecting crane can help you get more jobs through higher crane utilization. That creates a higher return on your crane investment.

- > Maximum reach for class-leading performance
- > Unmatched compact design for challenging jobsites and easy transport
- > Multiple integrated configurations for various jobsite needs
- > New Smart Set-up software for simplified crane erection using the exclusive Potain remote control



MAXIMUM REACH FOR CLASS-LEADING PERFORMANCE

New crane technology offers multiple configurations for more lifting options. One mast provides two telescoping heights and three jib positions plus a potential partial jib. This versatility enables 16 possible crane configurations.

- ✓ Telescoping, integrated masts give you the option of working at heights of 25 m (82 ft) or 30 m (98 ft)



- ✓ Automatic erection system requires no extra mast section to greatly reduce setup time



New technologies for the Hup cranes

- New** > **High Performance Lifting (HPL) technology** delivers class-leading ultra high-speed lifting of maximum loads

- New** > **High Performance Slewing (HPS) technology** provides greater accuracy and responsiveness in crane movements for better operator control during load swing

- > **Exclusive Power Control** functionality of 480V 3-phase provides the ability to adapt to the power available on site

- New** > **Permanent four falls reeving** provides continuous high speed lifting automatically adapted to the load



- ✓ Three-position 40 m (131 ft) jib provides extra versatility. Can be used in horizontal position or in two raised angles of 10° and 20°



NEW

POTAIN Hup 40-30 Self-erecting Crane

- > Max capacity: 4 t (4.4 USt)
- > Max radius: 40 m (131 ft)
- > Max HUH with horizontal jib: 25,6 m (84 ft) / 30 m (98 ft)
- > Max HUH at 20° raised jib: 40 m (131.2 ft)
- > Max load at jib end: 1 t (1.1 USt)
- > Footprint: 4,5 m x 4,5 m (14.8 ft x 14.8 ft)
- > Rear slewing radius: 2.50 m (8.2 ft)

UNMATCHED COMPACT DESIGN FOR CHALLENGING JOBSITES AND EASY TRANSPORT

Its class-leading compact package is ideal for jobsites with limited work space: 14 m (45 ft) long when folded and 3,9 m (12,8 ft) maximum height for easy transport. Compact package includes no extra masts to handle at installation, which reduces packing and allows for easy transport logistics and cost savings.

The Hup 40-30's compact design also makes erection and dismantling fast and easy with minimum effort required from the operator.

- ∨ Hup 40-30 is compatible with Igo transport axles



- ^ Exclusive compact package in transport



- ^ Quick and easy levelling including a 6 adjustable positions system to compensate the ground steep



- ^ Electrical cabinet easy to open and service the crane